

## MHD Vertical Control Point List

Satisfied Criteria: Town: HALIFAX

(Un)Select All	Added Datum Filter	Added Order Filter	Apply Filter
Check All	Datum	Order	() ()
Uncheck All	Any Vertical 🛟	Any Order 🛟	Query

## Go to MHD Data Sheet(s)

Select	MHD ID	<u>Station</u>	Quad	<u>Datum</u>	<u>Order</u>	<u>Elevation</u>	Datum2	<u>Order2</u>	Elevation2	<u>Description</u>	MHD Sketch
	17268	8543	PLYMPTON	NAVD88	2nd	16.659	-	-	-	LOCATED IN THE EASTERN SECTION OF HALIFAX, ON THE EASTERN SIDE OF MONPONSETT POND, ON THE WEST SIDE OF ROUTE 36 (HOLMES STREET). THE MARK IS A BRASS RIVET SET IN THE NORTH END OF A CONCRETE HEADWALL THAT IS ABOUT 3.0 FT.BELOW THE LEVEL OF THE ROAD. THE MARK IS 34.2 m(112.5 FT.) NORTHWEST OF THE NORTHWEST OF THE NORTHWEST OF THE NORTHWEST CORNER OF A 1-STRY.BRICK WATER PUMPING STATION 26.9 m(88.2 FT.) SOUTH OF POLE 82S 9.8 m(32.1 FT.) WEST OF THE CENTER OF RT	Yes
										LOCATED IN THE SOUTHWEST SECTION OF HALIFAX, ON WALNUT STREET, ABOUT 0.3 MILE NORTH OF ROUTE 105 AND 0.2 MILE SOUTH OF SUMMIT ST. THE MARK IS A BRASS RIVET SET IN THE NORTH END OF	

	17262	8174	BRIDGEWATER	NAVD88	2nd	13.933	-	-	-	A STONE AND MORTAR HEADWALL ON THE WEST SIDE OF THE ROAD AND ABOUT 1.0 FT BELOW THE LEVEL OF THE ROAD. THE MARK IS: 420.0 FT (128 M) PACED, SOUTH OF POLE NUMBER 17, 53.2 FT (16.2 M) NORTHWEST OF A 14 INCH SHAGBARK HICKORY TREE, 48.9 FT (14.9 M) SOUTHWEST OF AN 8 INCH WHITE OAK TREE, 20.0 FT (6.1M) WEST OF THE CENTER OF WALNUT	<u>Yes</u>
	17261	8173	BRIDGEWATER	NAVD88	2nd	17.871	-	-	-	STREET. LOCATED IN THE WESTERN MOST SECTION OF HALIFAX (SW AREA), AT THE INTERSECTION OF CHERRY STRET AND WALNUT ST. THE MARK IS A BRASS RIVET SET AT THE NORTHEAST CORNER OF AN U-SHAPED CONCRETE COVER STONE AND MORTAR HEADWALL, THAT IS ABOUT 1.0 FT BELOW THE LEVEL OF WALNUT ST. THE MARK IS: 125.7 FT (38.3 M) SOUTH OF POLE NUMBER 4, 51.7 FT (15.8 M) EAST OF A 40 INCH OAK TREE, 24.3 FT (7.4 M) NORTH OF POLE NUMBER 5, 21.4 FT (6.5 M) EAST OF THE CENTER OF WALNUT STREET, 7.0 FT (2.1M) NORTH OF THE EXTENDED CENTER OF CHERRY STREET.	Yes
	16998	6983	PLYMPTON	NAVD88	2nd	17.322	-	-	-	ON THE WEST SIDE OF ROUTE 58, 310 FT WEST OF THE EDGE OF ROAD, ABOUT 600 FT NORTH OF THE PLYMPTON LINE, 23.0 FT SOUTH OF THE SOUTH EDGE OF A DIRT ROAD, TOWER 78.	<u>Yes</u>
	16997	6974	PLYMPTON	NAVD88	2nd	20.848	-	-	-	ON THE NORTH SIDE OF ROUTE 106, 21.2 FT NORTH OF THE CENTERLINE, 26.6 FT EAST OF THE EXTENDED CENTERLINE OF ROUTE 105, 39.1 FT WEST OF POLE 5133,	Yes

									ABOUT LEVEL WITH THE ROAD GRADE.	
16996	6973	PLYMPTON	NAVD88	2nd	16.698	-	-	-	ON THE SOUTH SIDE OF ROUTE 106, 24.3 FT SOUTH OF THE CENTERLINE, 83.6 FT WEST OF THE WEST RANGE OF THE POST OFFICE, 61.2 FT WEST OF POLE 116, 50.3 FT EAST OF POLE 117, ABOUT 2.5 FT BELOW THE ROAD GRADE.	Yes
16995	6972	PLYMPTON	NAVD88	2nd	26.994	-	-	-	ON THE NORTH SIDE OF ROUTE 106, 132.5 FT NORTH OF THE CENTERLINE, AT THE FRONT ENTRANCE OF THE TOWN HALL, 79.5 FT NORTHEAST OF THE FLAG POLE, ABOUT 5 FT ABOVE THE ROAD GRADE.	Yes
16994	6971	PLYMPTON	NAVD88	2nd	24.097	-	-	-	ON THE WEST SIDE OF ROUTE 58, 62.5 FT WEST OF THE CENTERLINE, AT THE ROUTE 106 INTERSECTION, 45.2 FT NORTH OF THE CENTERLINE OF ROUTE 106, ABOUT 6 INCHES ABOVE THE ROAD GRADE.	Yes
16993	6970	PLYMPTON	NAVD88	2nd	12.771	-	-	-	ON THE EAST SIDE OF ROUTE 58, 20.5 FT EAST OF THE CENTERLINE, AT PALMER MILL BROOK, 48.3 FT NORTHEAST OF POLE 103, ABOUT 6 INCHES BELOW THE ROAD GRADE.	Yes
16976	5618	PLYMPTON	NAVD88	2nd	22.835	-	-	-	ON THE NORTHEAST SIDE OF ROUTE 106, 15.6 FT NORTHEAST OF THE EDGE OF PAVEMENT, 54.0 FT WEST OF GUY POLE 5/36, 83.0 FT NORTH OF POLE 36, 76.0 FT EAST OF POLE 37.	Yes
16956	6976	BRIDGEWATER	NAVD88	2nd	15.036	-	-	-	ON THE NORTH SIDE OF ROUTE 106 (PLYMOUTH STREET) 33.4 FT NORTH OF THE CENTERLINE, OPPOSITE A POINT BETWEEN POLES 180 AND 179, ABOUT 3 FT BELOW THE ROAD	Yes
16955	6975	BRIDGEWATER	NAVD88	2nd	17.880	-	_	-	GRADE. ON THE NORTH SIDE OF ROUTE 106 (PLYMOUTH STREET) 65.2 FT NORTH OF THE CENTERLINE, 53.6 FT EAST OF THE CENTERLINE OF DIME	<u>Yes</u>

									STREET, ABOUT 8 FT BELOW THE ROAD GRADE.	
16954	6964	BRIDGEWATER	NAVD88	2nd	12.867	-	-	-	ON THE EAST SIDE OF PINE STREET, 14.2 FT EAST OF THE CENTERLINE, ABOUT 780 YARDS NORTH OF THE INTERSECTION WITH ROUTE 105, AND SOUTH OF ROUTE 106.	Yes
16953	6963	BRIDGEWATER	NAVD88	2nd	14.500	-	-	-	ON THE EAST SIDE OF ROUTE 105 (THOMPSON STREET), ABOUT 320 FT EAST OF THE CENTERLINE, AT THE POWER LINE WHICH CROSSES ROUTE 105 BETWEEN PINE ST AND SUMMIT STREET, ABOUT AT ROAD GRADE.	Yes
16952	6962	BRIDGEWATER	NAVD88	2nd	13.943	-	-	-	ON THE EAST SIDE OF ROUTE 105 (THOMPSON STREET), 19.2 FT EAST OF THE CENTERLINE, AT THE INTERSECTION WITH SUMMIT STREET, 67 FT SOUTH OF THE CENTERLINE OF SUMMIT STREET, 44.7 FT NORTHEAST OF POLE 735, ABOUT 1.5 FT BELOW THE ROAD GRADE.	Yes
16951	6961	BRIDGEWATER	NAVD88	2nd	7.250	-	-	-	ON THE EAST SIDE OF ROUTE 105 (THOMPSON STREET), 24.5 FT EAST OF THE CENTERLINE, 284.5 FT NORTH OF THE WINNETUXET RIVER, 69.5 FT SOUTH OF THE CENTERLINE INTERSECTION WITH WALNUT STREET, 21.1 FT NORTHEAST OF POLE 83, ABOUT 5 FT BELOW THE ROAD GRADE.	Yes
16934	C 111 1934	PLYMPTON	NGVD29	3rd	31.871	-	-	-	SOUTH HALIFAX, IN NORTHWEST TRIANGLE AT INTERSECTION OF WOOD ST AND FULLER STREET, 50 FT NORTHWEST OF INTERSECTION, 500 FT WEST OF CENTERLINE OF FULLER STREET, 40 FT NORTH OF CENTERLINE OF	Yes

16930	C 100 1934	PLYMPTON	NGVD29	2nd	89.944	-	-	-	IN THE THIRD STEP UP FROM BOTTOM OF THE FRONT STEPS TO THE HALIFAX TOWN HALL, ON THE EAST SIDE OF THE BUILDING IN LINE WITH FRONT FACE.	No
16922	71 USGS	PLYMPTON	NGVD29	3rd	71.802	-	-	-	NORTH PLYMTON, 0.9 MI WEST OF, AT THE PLYMTON-HALIFAX LINE, 5 FT NORTH OF SIGNPOST, 27 FT NORTH OF THE CENTERLINE OF ROUTE 106, 1.5 FT NORTHEAST OF TOWN LINE MONUMENT WHICH IS 4.2 FT HIGH.	No
16921	13	PLYMPTON	NGVD29	2nd	65.244	-	-	-	ROC OF TOP CONCRETE STEP IN FRONT OF HOUSE 605, ON THE NORTHWEST SIDE OF ROUTE 106 (PLYMOUTH STREET), AT HIGHWAY STATION 151+40 RT 72.5 FT, BETWEEN POLE 127 AND POLE 2/128.	No
16920	11	PLYMPTON	NGVD29	2nd	65.233	-	-	-	ROC OF LOWEST CONCRET EFE STEP IN FRONT OF THE SCHOOL HOUSE (1905), ON THE SOUTHEAST SIDE OF ROUTE 106 ABOUT 6 INCHES ABOVE THE CONCRETE WALK.	No
16919	10	PLYMPTON	NGVD29	2nd	71.446	-	-	-	ROC OF LOWEST CONCRETE STEP IN FRONT OF THE PUBLIC LIBRARY IN THE CENTER OF TOWN, FLUSH WITH THE TYPE-I WALK.	No
16918	8	PLYMPTON	NGVD29	2nd	55.352	NAVD88	2nd	16.621	ABOUT 0.3 MI NORTHEAST OF TOWN HALL, ON THE NORTHWEST SIDE OF ROUTE 106 (PLYMOUTH STREET) AT A SMALL POND, 55 FT SOUTHWEST OF POLE 92, OPPOSITE THE FIRE HOUSE.	No
16917	7	PLYMPTON	NGVD29	2nd	67.827	-	-	-	ROC OF TOP CONCRETE STEP (PLATFORM) 1.5 FT FROM FRONT OF HOUSE ON SOUTHEAST SIDEE OF ROUTE 106 (PLYMOUTH STREET), 73.8 FT SOUTH OF POLE 2/81, ABOUT 1100 FT EAST OF FIRE HOUSE.	No

Image:	16866	22	BRIDGEWATER	NGVD29	2nd	22.880	-	-	-	ABOUT 1.1 MI NORTHWEST OF SOUTH HALIFAX, 215 FT NORTH OF INTERSECTION OF WOOD ROAD AND RIVER STREET, ON NORTHEAST CORNER OF NORTH ABUTMENT OF BRIDGE OVER THE RIVER.	No
1686417BRIDGEWATERNGVD292nd56.604OF EAST HEADER OF CONCETE CULVERT UNDER ELM STREET, 200 FT NORTH OF RUTTE 106 (PLYMOUTH STREET).No11686316 BBRIDGEWATERNGVD292nd87.29400 THE NORTH OF RUTTE 106 OF CIRCUIT STREET, 28 FT NORTH OF THE CENTERLINE, 30 FT EAST OF POLE 8, 115 FT SOUTH OF PLYMOUTH STREET, 100No11686316 BBRIDGEWATERNGVD292nd87.294RELOCATION PLYMOUTH STREET, 100 PLYMOUTH STREET, 10011686316 ABRIDGEWATERNGVD292nd68.173ROC OF STP IN FRONT OF HOUSE AT THE INTERSECTION OF CIRCUIT STREET, 89 FT SOUTH OF CIRCUIT STAND PINE STREET, 89 FT SOUTH OF 	16865	18	BRIDGEWATER	NGVD29	2nd	55.391	-	-	-	CORNER OF CONCRETE HEADER OF CCONCRETE FLUME 23 FT NORTH OF CENTERLINE OF FURNACE STREET, 76 FT WEST OF CENTERLINE OF ROUTE 106, 4.3 FT WEST OF CENTERLINE OF FLUME STREET, 5.5 FT SOUTH OF FACE	No
1686316 BBRIDGEWATERNGVD292nd87.294OF CIRCUIT STREET, 28 FT NORTH OF THE CENTERLINE, 30 PT EAST OF POLE 8, 115 PT SOUTH OF PLYMOUTH ST RELOCATIONNo1686316 BBRIDGEWATERNGVD292nd87.294FT SOUTH OF PLYMOUTH ST SUPHOUTH ST 191+36 LT 112 FT 191+36 LT 112 FT 191+36 LT 112 FT 191+36 LT 112 FT 191+36 LT 112 FT (1964).No1686216 ABRIDGEWATERNGVD292nd68.173ROC OF STEP IN FRONT OF HOUSE AT THE INTERSECTION OF CIRCUIT STREET, 89 FT SOUTH OF CENTERLINE OF FT WEST OF PINE STREET, BETWEENNo1686216 ABRIDGEWATERNGVD292nd68.173ROC OF GRAINE FT WEST OF PINE STREET, 195 FT SOUTH OF CIRCUIT STREET, 195 FT SOUTH OF STREET, 28 PT SOUTH OF STREET, 28 PT 	16864	17	BRIDGEWATER	NGVD29	2nd	56.604	-	-	-	OF EAST HEADER OF CONCRETE CULVERT UNDER ELM STREET, 200 FT NORTH OF ROUTE 106	No
Image: Instant index: Instant	16863	16 B	BRIDGEWATER	NGVD29	2nd	87.294	-	-	-	OF CIRCUIT STREET, 28 FT NORTH OF THE CENTERLINE, 30 FT EAST OF POLE 8, 115 FT SOUTH OF PLYMOUTH ST RELOCATION BASELINE, 29+94 RT 92 FT (1965), 191+36 LT 112 FT	No
Image: 16861 16 BRIDGEWATER NGVD29 2nd 80.840 - - - ROC OF GRANITE STEP IN FRONT OF HOUSE 725 ON NORTH SIDE OF ROUTE 106 No   Image: 16861 16 BRIDGEWATER NGVD29 2nd 80.840 - - - ROC OF GRANITE STEP IN FRONT OF HOUSE 725 ON NORTH SIDE OF No   Image: 16861 16 BRIDGEWATER NGVD29 2nd 80.840 - - - ROUTE 106 (PLYMOUTH STREET), OPPOSITE POLE 145, AT INTERSECTION OF CIRCUIT ST. No	16862	16 A	BRIDGEWATER	NGVD29	2nd	68.173	-	-	-	FRONT OF HOUSE AT THE INTERSECTION OF CIRCUIT ST AND PINE STREET, 89 FT SOUTH OF CENTERLINE OF CIRCUIT STREET, 185 FT WEST OF PINE STREET, BETWEEN POLES 8/3 AND 4, AT HIGHWAY STATION	No
ROC OF BOTTOM	16861	16	BRIDGEWATER	NGVD29	2nd	80.840	-	-	-	(1964). ROC OF GRANITE STEP IN FRONT OF HOUSE 725 ON NORTH SIDE OF ROUTE 106 (PLYMOUTH STREET), OPPOSITE POLE 145, AT INTERSECTION OF CIRCUIT ST.	No

16860	15	BRIDGEWATER	NGVD29	2nd	89.563	-	-	-	FRONT OF HOUSE ON NORTH SIDE OF ROUTE 106 (PLYMOUTH STREET), OPPOSITE POLE 2/145, ABOUT 1000 FT EAST OF CIRCUIT STREET, AT HIGHWAY STATION 169+97 RT 112 (1964) OR 9+42 RT 146 (1965).	No
10950	8060	HANOVER	NAVD88	2nd	20.699	-	-	-	LOCATED IN THE NORTHEAST SECTION OF HALIFAX, AT THE INTERSECTION OF ROUTE 36 AND GARDEN ROAD THE MARK IS A BRASS RIVET SET IN THE SOUTH END OF A STONE AND MORTAR HEADWALL THAT IS ABOUT 2.8 FT.BELOW THE LEVEL OF THE ROAD.THE MARK IS 54.6 m(179.0 FT.) SOUTH OF THE RAILROAD TRACKS 16.3 m(53.6 FT.) NORTH OF POLE 27 9.0 m(29.5 FT.) NORTHEAST OF THE CENTER OF GARDEN ROAD 6.4 m(21.0 FT.) WEST OF THE CENTER OF ROUTE 36 5.0 m(16.4 FT.) SOUTHWEST OF POLE 26	Yes
10949	8059	HANOVER	NAVD88	2nd	17.735	-	-	-	LOCATED IN THE NORTHEAST SECTION OF HALIFAX, AT THE INTERSECTION OF GROVE STREET, ALDANA AVENUE AND OAK ST. THE MARK IS A BRASS RIVET SET IN THE SOUTH END OF A CONCRETE HEADWALL THAT IS ABOUT 4.0 FT.BELOW THE LEVEL OF ALDANA AVENUE THE MARK IS 37.3 m(122.3 FT.) SOUTH OF THE CENTER OF THE NY, NEW HAVEN & HARTFORD RAILROAD TRACKS 32.6 m(107.0 FT.) WEST-SW OF THE CENTER OF THE INTERSECTION OF ALDANA AVE AND OAK ST 23.5 m(77.0 FT.) NORTHWEST OF THE CENTER OF ALDANA AVE	Yes

10900	8548	HANOVER	NAVD88	2nd	21.738	-	-	-	MONPONSETT SECTION OF HALIFAX, ON ROUTE 58 NEAR THE HALIFAX-HANSON TOWNLINE. THE MARK IS A BRASS RIVET SET IN A GRANITE BOULDER THAT IS FLUSH WITH THE GROUND AND IS ABOUT 2.0 FT.ABOVE THE LEVEL OF THE ROAD. THE MARK IS 22.8 m(74.7 FT.) SOUTH OF THE CENTER OF SHORT ST 8.2 m(26.8 FT.) WEST OF THE CENTER OF ROUTE 58 6.2 m(20.5 FT.) SOUTH OF THE TOWNLINE SIGN	Yes
10899	8547	HANOVER	NAVD88	2nd	18.399	-	-	-	LOCATED IN THE MONPONSETT SECTION OF HALIFAX, AT THE INTERSECTION OF ROUTE 58 AND STANDISH ST. THE MARK IS A BRASS RIVET SET IN THE NORTHWEST CORNER OF A 5.0 FT.BY 7.0 FT.CONCRETE PLATFORM FOR A TELEPHONE SWITCHING BOX THAT IS ABOUT 1.5 FT.ABOVE THE LEVEL OF THE STANDISH ST. THE MARK IS 31.3 m(102.7 FT.) EAST OF THE CENTER OF ROUTE 58 5.3 m(17.3 FT.) SOUTH OF THE CENTER OF STANDISH ST 3.0 m(9.9 FT.) WEST OF POLE 15/1	Yes
10898	8546	HANOVER	NAVD88	2nd	22.161	-	-	-	LOCATED IN THE MONPONSETT SECTION OF HALIFAX, ON WHITE ISLAND, AT THE INTERSECTION OF ROUTE 58 AND WHITE ISLAND ROAD THE MARK IS THE TOP EASTERN CORNER OF A BRONZE PLAQUE ON A 8.0 FT.BY 5.0 FT.BOULDER MARKING THE CAPTURE OF THE WAMPANOAG "WAMSUITA" BY MAJOR JOSIAS WINSLOW. IT IS ABOUT 5.0 FT.ABOVE THE LEVEL OF THE	Yes

									ROAD. THE MARK IS 9.1 m(29.8 FT.) EAST OF THE CENTER OF ROUTE 58 5.5 m(18.0 FT.) WEST OF THE CENTER OF WHITE	
10897	8545	HANOVER	NAVD88	2nd	19.050	-	-	-	ISLAND RD LOCATED IN THE MONPONSETT SECTION OF HALIFAX, ON WHITE ISLAND ABOUT 500 FT.(PACED) SOUTH ALONG ROUTE 58 FROM THE JUNCTION OF WHITE ISLAND ROAD THE MARK IS A BRASS RIVET SET ON THE NORTHEAST CORNER OF THE CONCRETE STEPS LEADING FROM ROUTE 58 TO THE WATER AND IS ABOUT LEVEL WITH THE ROAD. THE MARK IS 5.9 m(19.2 FT.)NW OF THE CENTER OF ROUTE 58	Yes
10895	8544	HANOVER	NAVD88	2nd	17.181	-	-	-	LOCATED IN THE MONPONSETT, OR NORTHERN SECTION OF HALIFAX, AT THE ROUTE 58 CAUSEWAY THROUGH MONPONSETT POND, SOUTH OF WHITE ISLAND. THE MARK IS A BRASS RIVET SET IN THE TOP OF THE NORTHEAST WINGWALL OF A CONCRETE BOX CULVERT THAT IS THE ONLY CONNECTION BETWEEN THE EASTERN AND WESTERN PARTS OF MONPONSETT POND AND IS ABOUT 2.5 FT.BELOW THE LEVEL OF THE ROAD. THE MARK IS 35.0 m(114.7 FT.) SOUTH OF POLE 53 11.2 m(36.7 FT.) NORTH	Yes
10894	8542	HANOVER	NAVD88	2nd	17.974	-	-	-	LOCATED IN THE EAST SECTION OF HALIFAX, NEAR THE INTERSECTION OF ROUTE 36 (HOLMES STREET) AND ANNOWAN DRIVE THE MARK IS A BRASS RIVET SET IN THE SOUTHEAST SECTION OF A STONE & MORTAR HEADWALL WITH A 4-IN.CONCRETE CAP THAT IS ABOUT 1.0	Yes

										BELOW THE LEVEL OF THE ROAD. THE MARK IS 24.1 m(79.0 FT.) NORTHEAST OF POLE 56 21.0 m(69.0 FT.) SOUTH OF POLE 55 7.1 m(23.3 FT.) SOUTHEAST OF THE CENTER OF ROUTE 36 60.0 m(198.0 FT.) NORTH OF THE EXTENDED CENTER OF ANNAWON	
	10893	8541	HANOVER	NAVD88	2nd	21.333	-		-	LOCATED IN THE NORTHEAST CORNER OF HALIFAX, AT THE INTERSECTION OF ROUTE 36 AND THE MBTA RAILROAD. (FORMERLY CONRAIL)THE MARK IS A BRASS RIVET SET IN THE SOUTHWEST CORNER OF AN L-SHAPED CONCRETE HEADWALL THAT IS ABOUT 3.0 BELOW THE LEVEL OF THE ROAD.THE MARK IS 27.1 m(89.0 FT.) EAST OF THE CENTER OF ROUTE 36 22.5 m(73.7 FT.) SOUTHEAST OF THE RAILROAD LIGHT STANCHION 6.3 m(20.8 FT.) SOUTH OF THE SOUTHENN MOST RAIL 6.3 m(20.8 FT.) NORTH OF POLE 25A	Yes
	10892	8540	HANOVER	NAVD88	2nd	25.706	-	-	-	LOCATED IN THE NORTHEAST CORNER OF HALIFAX, AT THE INTERSECTION OF MARILYN WAY AND OAK STREET AND ABOUT 0.1 MILE WEST OF ROUTE 36. THE MARK IS A BRASS RIVET SET IN THE NORTH END OF A CONCRETE RETAINING WALL AND IS ABOUT LEVEL WITH THE OAK ST. THE MARK IS 16.7 m(54.7 FT.) SOUTHEAST OF POLE 333 10.1 m(33.1 FT.) SOUTH OF THE CENTER OF OAK ST 7.1 m(23.2 FT.) EAST OF THE CENTER OF MARILYN WAY 3.2 m(10.4 FT.) SOUTH OF A CONCRETE BOUND	Yes
										ABOUT 0.3 MI SOUTHWEST OF SOUTH HANSON	

10752	102	WHITMAN	NGVD29	2nd	102.080	-	-	-	MI SOUTH, IN NORTHWEST ANGLE OF INTERSECTION OF ELM ST AND POND ST.	No
10722	4	HANOVER	NGVD29	2nd	58.308	-	-	-	IN THE CENTER OF THE TOP OF THE EAST HEADWALL WHERE ROUTE 58 (MONPONSETT STREET) PASSES OVER WATERWAY BETWEEN LAKES, 0.3 MI NORTH OF THE INTERSECTION OF ROUTE 58 AND ROUTE 106 (PLYMOUTH STREET).	No
10721	2	HANOVER	NGVD29	2nd	75.615	-	-	-	ROC OF LOWER CONCRETE STEP OF HALIFAX POST VFW BUILDING ON EAST SIDE OF ROUTE 58 (MONPONSETT STREET).	No

Go to the <u>NGS Vertical Control List</u> with the town criteria.